

PATENT
Attorney Docket No.: 101.0084-0200
Customer No.: 22882

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	Confirmation No.: 8299
Gary K. Michelson, M.D.)	
Serial No.: 09/921,851)	Group Art Unit: 3738
Filed: August 3, 2001)	Examiner: Bruce E. Snow
For: METHOD FOR FORMING A SPINAL)	
IMPLANT SURFACE)	
CONFIGURATION (as amended))	

MS ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

REQUEST FOR CORRECTION OF TITLE

Applicant has noted an error in the title of the invention as printed on the Notice of Allowance, as evidenced in the attached copy of page two (2) of the Amendment dated February 13, 2004. Applicant therefore respectfully requests that the title of the above-identified application be corrected in the Patent Office records to read as follows:

**"METHOD FOR FORMING A SPINAL IMPLANT SURFACE
CONFIGURATION".**

Please grant any extensions of time required to enter this paper and charge any additional required fees to our deposit account 50-3726.

Respectfully submitted,

MARTIN & FERRARO, LLP

Dated: December 1, 2006By: 

Amedeo F. Ferraro
Registration No. 37,129

1557 Lake O'Pines Street, NE
Hartville, Ohio 44632
Telephone: (330) 877-0700
Facsimile: (330) 877-2030

Request for Correction of Title - 12-01-06

COPY

Application No. 09/921,851
Amendment dated February 13, 2004
Reply to Office action of December 4, 2003

Amendments to the Title:

Please replace the title with the following amended title:

METHOD FOR FORMING A SPINAL IMPLANT SURFACE CONFIGURATION



From-MARTIN & FERRARO LLP CA

3102862795

T-183 P.06/06 F-598

PATENT
Attorney Docket No.: 101.0084-02000
Customer No.: 22882

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	Confirmation No.: 8299
Gary K. Michelson, M.D.)	
Serial No.: 09/921,851)	Group Art Unit: 3738
Filed: August 3, 2001)	Examiner: Bruce E. Snow
For: METHOD FOR FORMING A)	
SPINAL IMPLANT SURFACE)	
CONFIGURATION (as amended)))	

MS ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

STATEMENT OF SUBSTANCE OF INTERVIEW


A telephone interview between the undersigned and Examiner Bruce Snow was conducted on October 30, 2006. No claims or prior art rejections were discussed. The undersigned brought to the attention of the Examiner that the Form PTO-1449 submitted with the Information Disclosure Statement filed on June 22, 2005 had not been signed and returned to the applicant. The Examiner provided the signed Form PTO-1449 with a supplemental Notice of Allowability dated November 24, 2006.

It is requested that this document be made of record in the above-identified application.

Respectfully submitted,


MARTIN & FERRARO, LLP

Dated: December 1, 2006

By: 
Amedeo F. Ferraro
Registration No. 37,129

1557 Lake O'Pines Street, NE
Hartville, Ohio 44632
Telephone: (330) 877-0700
Facsimile: (330) 877-2030

Statement of Substance of Interview - 11-30-06



MARTIN & FERRARO, LLP
1925 Century Park East, 17th Floor
Los Angeles, California 90067

Telephone
(310) 286-9800

Facsimile
(310) 286-2795

FACSIMILE TRANSMITTAL

TO:

Name: Mail Stop ISSUE FEE

Firm: U.S. Patent & Trademark Office

Fax No.: 571-273-2885

Subject: U.S. Patent Application No. 09/921,851

Gary K. Michelson, M.D.

Filed: August 3, 2001

METHOD FOR FORMING A SPINAL IMPLANT

SURFACE CONFIGURATION

Attorney Docket No. 101.0084-02000

Customer No. 22882

Confirmation No.: 8299

FROM:

Name: Amedeo F. Ferraro

Phone No.: 310-286-9800

No. of Pages (including this): 6

Date: December 1, 2006

Confirmation Copy to Follow: NO

Message:**CERTIFICATE OF TRANSMISSION UNDER 37 CFR 1.8**

I hereby certify that the attached Issue Fee Transmittal Form (in duplicate; \$1,700.00 total amount to cover the \$1,400 issue fee and \$300 publication fee is to be charged to Deposit Account No. 50-3726), Request for Correction of Title with attachment, and Statement of Substance of Interview, are being facsimile transmitted to the U.S. Patent and Trademark Office on December 1, 2006.

Donna M. Colon

If there is a problem with this transmission please call Donna Colon at 310-286-9800 or the sender at the number above.

The information contained in this facsimile message is privileged and confidential information intended only for the use of the addressee listed above. If you are not the intended recipient or the employee or agent responsible to deliver this message to the intended recipient, please do not use this transmission in any way, but contact the sender by telephone.